

# CU30 /1

## Positioning Lanyard

UPDATED: 01/2014

ISSUE NO: 1

# Product Datasheet

**OUR REF:** CU30/1

### PRODUCT DESCRIPTION

The Climax CU30/1 anchoring rope is an essential component for a safe fall protection system. The anchoring rope is designed to be joined by means of suitable connectors (Climax 30 karabiner) to a fall protection harness in order to create a completely safe fall protection system that allows the user to work, where the risk of fall has already been removed. The rope is specially designed to be adjusted to the particular needs of the user.

**NOTE:** Activities at height are dangerous activities which may lead to severe injury or even death. Gaining an adequate apprenticeship in appropriate techniques and methods of safety is your own responsibility.



### Technical Details

Devices intended to form the interface between the fall arrest system (harnesses, lanyards, retractable lanyards etc.) and the structure.

EC type examination(s) carried out by: Standards:EN 354: 1993 Directive 89/686/CEE  
Regulatory agency 0159 Certificate no. 31214800

### Technical data

• Rope diameter	14 mm
• Maximum length	135 cm
• Minimum length	80 cm
• Static tensile strength	>15 kN
• Dynamic strength (as measured in free fall with a 100-kg mass)	< 6kN
• Tensile breaking strength of rope	32.4 kN

### Additional Information:

- **IMPORTANT-**This is a Restraint belt used for positioning only. These are to be used when there is no of falling and cannot be used as a Fall Arrest product.
- The anchoring rope is a three-strand twisted polyamide rope of diameter 14 mm and high tensile strength. The rope has an ultimate load capacity of 32 kN and contains a red wear indicator.

### Before use please check for:

- **The Fabric:** Cuts, tears, abrasion and damage caused by use, heat, chemicals, etc.
- **The Stitching:** Cut, torn, worn or loose threads.
- **The Buckles:** Proper functioning of the buckles.

### MEETS:

**EN 354: 1993**

Personal fall protection equipment - Lanyards

### For more information contact:

**T:** +44 (0) 1902 451 451    **F:** +44 (0) 1902 451 276  
**E:** [sales@ultimateindustrial.co.uk](mailto:sales@ultimateindustrial.co.uk)  
[www.ultimateindustrial.co.uk](http://www.ultimateindustrial.co.uk)

**Ultimate Industrial Limited**  
Victoria House,  
Colliery Road,  
Wolverhampton, WV1 2RD  
United Kingdom

